

The following security alert was issued by the Information Security Division of the Mississippi Department of ITS and is intended for State government entities. The information may or may not be applicable to the general public and accordingly, the State does not warrant its use for any specific purposes.

TLP: WHITE

www.cisa.gov/tlp

Information may be distributed without restriction, subject to standard copyright rules.

DATE(S) ISSUED:

09/03/2022

SUBJECT:

A Vulnerability in Google Chrome Could Allow for Arbitrary Code Execution

OVERVIEW:

A vulnerability has been discovered in Google Chrome, the most severe of which could allow for arbitrary code execution. Google Chrome is a web browser used to access the internet. Successful exploitation of the vulnerability could allow for arbitrary code execution in the context of the logged on user. Depending on the privileges associated with the user an attacker could then install programs; view, change, or delete data; or create new accounts with full user rights. Users whose accounts are configured to have fewer user rights on the system could be less impacted than those who operate with administrative user rights.

THREAT INTELLIGENCE:

Google is aware of reports that an exploit for CVE-2022-3075 exists in the wild

SYSTEMS AFFECTED:

- Google Chrome versions prior to 105.0.5195.102 (Windows)
- Google Chrome versions prior to 105.0.5195.102 (Mac/Linux)

RISK:

Government:

- Large and medium government entities: **High**
- Small government entities: **Medium**

Businesses:

- Large and medium business entities: **High**
- Small business entities: **Medium**

Home users: Low

TECHNICAL SUMMARY:

A vulnerability have been discovered in Google Chrome, which could allow for arbitrary code execution. Details of this vulnerability are as follows:

Tactic: *Initial Access* (TA0001):

Technique: *Drive-by Compromise* (T1189):

- CVE-2022-3075 - Google Chrome Insufficient data validation in Mojo.

Successful exploitation of this vulnerability could allow for arbitrary code execution in the context of the logged on user. Depending on the privileges associated with the user an attacker could then install programs; view, change, or delete data; or create new accounts with full user rights. Users whose accounts are configured to have fewer user rights on the system could be less impacted than those who operate with administrative user rights.

RECOMMENDATIONS:

We recommend the following actions be taken:

- Apply appropriate updates provided by Google to vulnerable systems immediately after appropriate testing. (**M1051: Update Software**)
 - **Safeguard 7.1: Establish and Maintain a Vulnerability Management Process:** Establish and maintain a documented vulnerability management process for enterprise assets. Review and update documentation annually, or when significant enterprise changes occur that could impact this Safeguard.
 - **Safeguard 7.4: Perform Automated Application Patch Management:** Perform application updates on enterprise assets through automated patch management on a monthly, or more frequent, basis.
 - **Safeguard 7.7: Remediate Detected Vulnerabilities:** Remediate detected vulnerabilities in software through processes and tooling on a monthly, or more frequent, basis, based on the remediation process.
 - **Safeguard 9.1: Ensure Use of Only Fully Supported Browsers and Email Clients:** Ensure only fully supported browsers and email clients are allowed to execute in the enterprise, only using the latest version of browsers and email clients provided through the vendor.
- Apply the Principle of Least Privilege to all systems and services. Run all software as a non-privileged user (one without administrative privileges) to diminish the effects of a successful attack. (**M1026: Privileged Account Management**)
 - **Safeguard 4.7: Manage Default Accounts on Enterprise Assets and Software:** Manage default accounts on enterprise assets and software, such as root, administrator, and other pre-configured vendor accounts. Example

implementations can include: disabling default accounts or making them unusable.

- **Safeguard 5.4: Restrict Administrator Privileges to Dedicated Administrator Accounts:** Restrict administrator privileges to dedicated administrator accounts on enterprise assets. Conduct general computing activities, such as internet browsing, email, and productivity suite use, from the user's primary, non-privileged account.
- Restrict execution of code to a virtual environment on or in transit to an endpoint system. **(M1048: Application Isolation and Sandboxing)**
 - **Safeguard 4.1: Establish and Maintain a Secure Configuration Process:** Establish and maintain a secure configuration process for enterprise assets (end-user devices, including portable and mobile, non-computing/IoT devices, and servers) and software (operating systems and applications). Review and update documentation annually, or when significant enterprise changes occur that could impact this Safeguard.
 - **Safeguard 16.8: Separate Production and Non-Production Systems:** Maintain separate environments for production and non-production systems.
- Use capabilities to detect and block conditions that may lead to or be indicative of a software exploit occurring. **(M1050: Exploit Protection)**
 - **Safeguard 10.5: Enable Anti-Exploitation Features:** Enable anti-exploitation features on enterprise assets and software, where possible, such as Microsoft® Data Execution Prevention (DEP), Windows® Defender Exploit Guard (WDEG), or Apple® System Integrity Protection (SIP) and Gatekeeper™.
 - **Safeguard 13.10: Performing Application Layer Filtering:** Perform application layer filtering. Example implementations include a filtering proxy, application layer firewall, or gateway.
- Restrict use of certain websites, block downloads/attachments, block Javascript, restrict browser extensions, etc. **(M1021: Restrict Web-Based Content)**
 - **Safeguard 9.2: Use DNS Filtering Services:** Use DNS filtering services on all enterprise assets to block access to known malicious domains.
 - **Safeguard 9.3: Maintain and Enforce Network-Based URL Filters:** Enforce and update network-based URL filters to limit an enterprise asset from connecting to potentially malicious or unapproved websites. Example implementations include category-based filtering, reputation-based filtering, or through the use of block lists. Enforce filters for all enterprise assets.
 - **Safeguard 9.6: Block Unnecessary File Types:** Block unnecessary file types attempting to enter the enterprise's email gateway.
- Inform and educate users regarding the threats posed by hypertext links contained in emails or attachments especially from un-trusted sources. Remind users not to visit un-trusted websites or follow links provided by unknown or un-trusted sources. **(M1017: User Training)**

- **Safeguard 14.1: Establish and Maintain a Security Awareness Program:** Establish and maintain a security awareness program. The purpose of a security awareness program is to educate the enterprise's workforce on how to interact with enterprise assets and data in a secure manner. Conduct training at hire and, at a minimum, annually. Review and update content annually, or when significant enterprise changes occur that could impact this Safeguard.
- **Safeguard 14.2: Train Workforce Members to Recognize Social Engineering Attacks:** Train workforce members to recognize social engineering attacks, such as phishing, pre-texting, and tailgating.

REFERENCES:

Google:<https://chromereleases.googleblog.com/2022/09/stable-channel-update-for-desktop.html>

CVE:
<https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2022-3075>